

[illegible]

67	04.10.2024	FSLT	7	0+	SAL	6.2	3	1,259	1	1	0	0	0	0	0	1	0	0	1	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103			
68	04.10.2024	FSLT	7	0+	SAL	8.3	7.9	1,382	2	1	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9403		
69	04.10.2024	FSLT	7	0+	SAL	8.1	6.9	1,296	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9403	
70	04.10.2024	FSLT	7	0+	SAL	7.3	5	1,285	1	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103	
71	04.10.2024	FSLT	7	0+	SAL	9.4	11.4	1,373	2	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9403	
72	04.10.2024	FSLT	7	0+	SAL	7.8	7.9	1,665	1	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103	
73	04.10.2024	FSLT	7	0+	SAL	8.2	7.6	1,378	1	1	0	0	0	0	0	0	1	0	0	1	0	1	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103
74	04.10.2024	FSLT	7	0+	SAL	8.3	7.2	1,259	1	1	0	0	0	0	0	0	1	0	0	1	0	1	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103
75	04.10.2024	FSLT	7	0+	SAL	7.6	5.2	1,185	1	1	0	0	0	0	0	0	1	0	0	1	0	1	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103
76	04.10.2024	FSLT	8	0+	SAL	8.2	6.5	1,179	1	1	0	0	0	0	0	0	0	0	0	0	0	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103		
77	04.10.2024	FSLT	8	0+	SAL	8.2	6.7	1,215	1	1	0	0	0	0	0	0	0	0	0	0	0	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103		
78	04.10.2024	FSLT	8	0+	SAL	9	9.3	1,276	2	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9403	
79	04.10.2024	FSLT	8	0+	SAL	8.5	6.3	1,026	2	1	0	0	0	0	0	0	0	0	0	0	0	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9103		
80	04.10.2024	FSLT	8	0+	SAL	8.6	7.3	1,148	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103	
81	04.10.2024	FSLT	8	0+	SAL	7.9	6.8	1,379	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103	
82	04.10.2024	FSLT	8	0+	SAL	7.9	5.9	1,197	1	1	0	0	0	0	0	0	0	0	0	0	0	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103		
83	04.10.2024	FSLT	8	0+	SAL	7.5	5.4	1,280	1	1	0	0	0	0	0	0	1	0	0	1	2	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103		
84	04.10.2024	FSLT	8	0+	SAL	7.3	4.6	1,182	1	1	0	0	0	0	0	0	1	0	0	1	0	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103		
85	04.10.2024	FSLT	8	0+	SAL	8	7.3	1,426	1	1	0	0	0	0	0	0	2	0	0	2	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	2	1	0.055	1	1	0.07	0.8553		
86	04.10.2024	FSLT	9	0+	SAL	7.7	5.9	1,292	1	1	0	0	0	0	0	0	2	0	0	2	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	2	1	0.055	1	1	0.07	0.8553	
87	04.10.2024	FSLT	9	0+	SAL	6.3	3.4	1,360	1	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103	
88	04.10.2024	FSLT	9	0+	SAL	8.4	7.6	1,282	2	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9403	
89	04.10.2024	FSLT	9	0+	SAL	6.3	3.2	1,280	1	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.9103	
90	04.10.2024	FSLT	9	0+	SAL	8.7	9.5	1,443	2	1	0	0	0	0	0	0	1	0	0	1	1	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9403	
91	04.10.2024	FSLT	9	0+	SAL	8.8	7.8	1,145	2	1	0	0	0	0	0	0	1	0	0	1	0	1	0	94	10.5	7.68	0.2	12.7	1.2	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	1	1	0.09	1	1	0.09	1	1	0.08	2</										

33	24.10.2024	P\BIOR	6	0+	SAL	10,7	13,12	1,071	2	1	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797			
34	24.10.2024	P\BIOR	6	0+	SAL	12,6	20,9	1,045	2	1	0	0	0	0	0	0	0	2	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797		
35	24.10.2024	P\BIOR	6	0+	SAL	14,2	29,95	1,046	3	1	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,9097		
36	24.10.2024	P\BIOR	6	0+	SAL	13,4	25,58	1,063	2	1	0	0	0	0	0	2	0	0	2	1	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	2	1	0,055	1	1	0,07	0,8247
37	24.10.2024	P\BIOR	6	0+	SAL	11,5	15,33	1,008	2	1	0	0	0	0	0	2	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	2	1	0,055	1	1	0,07	0,8247
38	24.10.2024	P\BIOR	6	0+	SAL	11,5	18,18	1,195	2	1	0	0	0	0	0	0	1	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,9097
39	24.10.2024	P\BIOR	6	0+	SAL	13,6	29,6	1,177	3	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,9397	
40	24.10.2024	P\BIOR	6	0+	SAL	11,4	15,03	1,014	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797	
41	24.10.2024	P\BIOR	6	0+	SAL	12,4	19,34	1,014	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797	
42	24.10.2024	P\BIOR	6	0+	SAL	11,3	15,19	1,053	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797	
43	24.10.2024	P\BIOR	6	0+	SAL	12,7	22,58	1,102	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,9097	
44	24.10.2024	P\BIOR	6	0+	SAL	15	35,07	1,039	3	1	0	0	0	0	0	1	0	0	1	2	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,9097
45	24.10.2024	P\BIOR	6	0+	SAL	14,4	31,07	1,041	2	1	0	0	0	0	0	1	0	0	1	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797
46	24.10.2024	P\BIOR	6	0+	SAL	10,5	12,4	1,071	2	1	0	0	0	0	0	1	0	0	1	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797
47	24.10.2024	P\BIOR	6	0+	SAL	13,2	24,5	1,065	2	1	0	0	0	0	0	1	0	0	1	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797
48	24.10.2024	P\BIOR	6	0+	SAL	10,8	13,12	1,042	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797	
49	24.10.2024	P\BIOR	6	0+	SAL	11,6	17,24	1,104	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,9097	
50	24.10.2024	P\BIOR	6	0+	SAL	14,7	33,9	1,067	3	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,9097	
51	24.10.2024	P\BIOR	6	0+	SAL	12,1	17,4	0,982	2	1	0	0	0	0	0	1	0	0	1	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797
52	24.10.2024	P\BIOR	6	0+	SAL	13,8	29,27	1,114	3	1	0	0	0	0	0	1	0	0	1	1	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,9397
53	24.10.2024	P\BIOR	6	0+	SAL	13	23,4	1,065	2	1	0	0	0	0	0	1	0	0	1	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797
54	24.10.2024	P\BIOR	6	0+	SAL	13,7	24,69	0,96	2	1	0	0	0	0	0	1	0	0	1	1	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797
55	24.10.2024	P\BIOR	6	0+	SAL	15,1	34,8	1,011	2	1	0	0	0	0	0	1	0	0	1	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797
56	24.10.2024	P\BIOR	6	0+	SAL	13,2	24,52	1,066	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,64	0,2	36,6	1,7	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8797	
57	24.10.2024	P\BIOR	4	1+	SAL	14,6	36,11	1,16	2	1	0	0	0	0	0	0	0	0	0	0	95	10	7,6	0,2	36,6	1,7	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	3	0	0,0297	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,9097	
58	24.10.2024	P\BIOR	4	1+	SAL	17,3	62,05	1,198	3	1	0	0	0	0	0	0	0	0	0	0	95	10	7,6	0,2	36,6	1,7	Clear	0	1	1	1	0,06																																			

9	15.11.2024	FSLT	3	0+	SAL	7.3	3.9	1.003	1	1	0	0	0	0	0	1	0	0	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	0	1	1	0.11	1	1	0.07	0.8506		
10	15.11.2024	FSLT	3	0+	SAL	7.6	4.8	1.093	1	1	0	0	0	0	0	1	0	0	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.8506			
11	15.11.2024	FSLT	3	0+	SAL	10.2	10.7	1.008	2	1	0	0	0	0	0	0	0	0	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.8806			
12	15.11.2024	FSLT	3	0+	SAL	9.4	8.2	0.987	1	1	0	0	0	0	0	1	0	1	0	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.8506		
13	15.11.2024	FSLT	3	0+	SAL	7	3.6	1.05	1	1	2	0	0	0	0	1	0	1	0	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.7806		
14	15.11.2024	FSLT	3	0+	SAL	8.3	6.1	1.067	1	1	0	0	0	0	0	1	0	0	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.8506			
15	15.11.2024	FSLT	3	0+	SAL	9	8.1	1.111	2	1	0	0	0	0	0	1	0	1	0	93.7	10.8	8.2	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9106		
16	15.11.2024	FSLT	4	0+	SAL	7.5	4.5	1.067	1	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.7806	
17	15.11.2024	FSLT	4	0+	SAL	9	7.8	1.07	1	1	0	0	0	0	0	1	0	1	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.8506	
18	15.11.2024	FSLT	4	0+	SAL	10	10	1	2	1	0	0	0	0	0	1	0	1	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8806	
19	15.11.2024	FSLT	4	0+	SAL	8.5	6.8	1.107	1	1	0	0	0	0	0	0	0	0	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8806	
20	15.11.2024	FSLT	4	0+	SAL	10.8	12	0.953	2	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.8106	
21	15.11.2024	FSLT	4	0+	SAL	8.5	6.5	1.058	1	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7806	
22	15.11.2024	FSLT	4	0+	SAL	8.6	6.9	1.085	1	1	0	0	0	0	0	1	0	1	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.8106	
23	15.11.2024	FSLT	4	0+	SAL	8.7	6.5	0.987	2	1	0	0	0	0	0	1	0	1	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8806	
24	15.11.2024	FSLT	4	0+	SAL	7.6	4.4	1.002	1	1	0	0	0	0	0	0	0	0	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8506	
25	15.11.2024	FSLT	4	0+	SAL	10.5	11.8	1.019	2	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.8106	
26	15.11.2024	FSLT	4	0+	SAL	8.5	5.9	0.961	1	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.7806	
27	15.11.2024	FSLT	4	0+	SAL	8.2	5.4	0.979	1	1	2	0	0	0	0	0	0	0	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.7806	
28	15.11.2024	FSLT	4	0+	SAL	8.3	5.5	0.962	1	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.7806	
29	15.11.2024	FSLT	4	0+	SAL	9	7.5	1.029	2	1	0	0	0	0	0	0	0	0	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8806	
30	15.11.2024	FSLT	4	0+	SAL	7.8	5.2	1.096	1	1	0	0	0	0	0	0	0	0	0	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.8506	
31	15.11.2024	FSLT	4	0+	SAL	7.5	4.1	0.972	1	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.7806	
32	15.11.2024	FSLT	4	0+	SAL	7.8	4.7	0.99	1	1	2	0	0	0	0	1	0	1	1	2	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.7806	
33	15.11.2024	FSLT	5	0+	SAL	10.5	13.3	1.449	2	1	0	0	0	0	0	0	0	0	0	0	1	93.7	10.8	8.2	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.9106
34	15.11.2024	FSLT	5	0+	SAL	10.5	11.3	0.976	2	1	0	0	0	0	0	0	0	0	0	0	1	93.7	10.8	8.2	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	1	1	0.09	1												

86	15.11.2024	FSLT	10	0+	SAL	6,2	2,3	0,965	1	1	2	0	0	0	0	0	0	0	1	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	2	0	0	0,6906
87	15.11.2024	FSLT	10	0+	SAL	6	2,1	0,972	1	1	0	0	0	0	0	1	0	1	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	2	1	0,07	0,7606
88	15.11.2024	FSLT	10	0+	SAL	6,8	3,6	1,145	1	1	0	0	0	0	0	1	0	1	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7906
89	15.11.2024	FSLT	10	0+	SAL	6,5	2,7	0,983	1	1	0	0	0	0	0	2	0	2	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	2	1	0,055	1	1	0,07	0,7056
90	15.11.2024	FSLT	10	0+	SAL	6,8	3	0,954	1	1	0	0	0	0	0	1	0	1	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7606
91	15.11.2024	FSLT	10	0+	SAL	6	2,5	1,157	1	1	2	0	0	0	0	0	0	0	1	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	2	0	0	0,7206
92	15.11.2024	FSLT	10	0+	SAL	6,8	3,2	1,018	1	1	0	0	0	0	0	2	0	2	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	2	1	0,055	1	1	0,07	0,7056
93	15.11.2024	FSLT	10	0+	SAL	6,6	2,8	0,974	1	1	0	0	0	0	0	1	0	1	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7606
94	15.11.2024	FSLT	10	0+	SAL	7	3,7	1,079	1	1	2	0	0	0	0	2	0	2	1	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	2	1	0,055	2	0	0	0,6356
95	15.11.2024	FSLT	10	0+	SAL	7	3,1	0,904	2	1	0	0	0	0	0	1	0	1	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7906
96	15.11.2024	FSLT	10	0+	SAL	7,1	3,7	1,034	1	1	0	0	0	0	0	1	0	1	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7606
97	15.11.2024	FSLT	10	0+	SAL	6,4	2,4	0,916	1	1	2	0	0	0	0	2	0	2	1	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	2	1	0,055	2	0	0	0,6356
98	15.11.2024	FSLT	10	0+	SAL	6,4	2,3	0,877	1	1	2	0	0	0	0	0	0	0	2	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	3	0	0	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	2	0	0	0,6606
99	15.11.2024	FSLT	10	0+	SAL	6,6	3,3	1,148	1	1	2	0	0	0	0	0	0	0	1	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	2	0	0	0,7206
100	15.11.2024	FSLT	10	0+	SAL	6	2	0,926	2	1	2	0	0	0	0	0	0	0	1	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	2	0	0	0,7206
101	15.11.2024	FSLT	10	0+	SAL	6,8	2,9	0,922	1	1	0	0	0	0	0	2	0	2	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	2	1	0,055	1	1	0,07	0,7056
102	15.11.2024	FSLT	10	0+	SAL	6,5	2,6	0,947	1	1	2	0	0	0	0	0	0	0	2	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	2	0	0	0,6906
103	15.11.2024	FSLT	10	0+	SAL	6,7	2,8	0,931	1	1	0	0	0	0	0	1	0	1	0	21	93,7	10,8	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7606
1	06.12.2024	FSLT	(mairie)	0+	SAL	6	2,3	1,065	1	1	0	0	0	0	0	0	0	0	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0,09	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,8506	
2	06.12.2024	FSLT	16	0+	SAL	7	3,2	0,933	1	1	0	0	0	0	0	0	0	0	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0,09	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,8506	
3	06.12.2024	FSLT	16	0+	SAL	7,2	3,9	1,045	1	1	0	0	0	0	0	1	0	1	0	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0,09	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,8506
4	06.12.2024	FSLT	16	0+	SAL	6	2,1	0,972	1	1	0	0	0	0	0	2	0	2	0	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0,09	1	1	0,08	3	0	0	2	1	0,055	1	1	0,07	0,7956
5	06.12.2024	FSLT	16	0+	SAL	5,8	1,9	0,974	1	1	0	0	0	0	0	0	0	0	0	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0,09	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,8506
6	06.12.2024	FSLT	16	0+	SAL	7	3,5	1,02	1	1	0	0	0	0	0	0	0	0	0	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0,09	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,8506
7	06.12.2024	FSLT	16	0+	SAL	7	3,1	0,904	1	1	0	0	0	0	0	0	0	0	0	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0,09	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,8506
8	06.12.2024	FSLT	16	0+	SAL	6,5	2,6	0,947	1	1	2	0	0	0	0	0	0	0	1	1	93,6	10,6	8,2	0,2	23	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	2	1	0,0603	1	1	0													

[illegible]

35	07.02.2025	FSLT	3	0+	SAL	11	14.6	1.097	2	1	0	0	0	0	0	0	0	1	0	17	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7906
36	07.02.2025	FSLT	4	0+	SAL	13.6	28.3	1.125	3	1	2	0	0	0	0	0	0	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	2	0	0	0.7806	
37	07.02.2025	FSLT	4	0+	SAL	16.6	54.8	1.198	3	1	0	0	0	0	0	0	0	0	0	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
38	07.02.2025	FSLT	4	0+	SAL	17.5	62.2	1.161	3	1	0	0	0	0	0	0	1	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
39	07.02.2025	FSLT	4	0+	SAL	14	30.8	1.122	3	1	0	0	0	0	0	0	2	0	2	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7956	
40	07.02.2025	FSLT	4	0+	SAL	17.4	57.5	1.091	3	1	0	0	0	0	0	1	0	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8206	
41	07.02.2025	FSLT	4	0+	SAL	12	19.8	1.146	3	1	0	0	0	0	0	0	0	0	0	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
42	07.02.2025	FSLT	4	0+	SAL	17.5	56.6	1.056	3	1	0	0	0	0	0	1	0	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8206	
43	07.02.2025	FSLT	4	0+	SAL	15.5	44.9	1.206	3	1	0	0	0	0	0	1	0	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
44	07.02.2025	FSLT	4	0+	SAL	18	62.6	1.073	3	1	0	0	0	0	0	0	2	0	2	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7656	
45	07.02.2025	FSLT	4	0+	SAL	15.5	44.7	1.2	3	1	0	0	0	0	0	1	0	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
46	07.02.2025	FSLT	4	0+	SAL	15	38.9	1.153	3	1	0	0	0	0	0	0	0	0	0	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
47	07.02.2025	FSLT	4	0+	SAL	17	55.2	1.124	3	1	0	0	0	0	0	1	0	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
48	07.02.2025	FSLT	4	0+	SAL	14.5	29.7	0.974	3	1	0	0	0	0	0	1	0	0	1	21	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8206	
49	07.02.2025	FSLT	5	0+	SAL	16.5	50	1.113	3	1	0	0	0	0	0	1	0	0	1	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
50	07.02.2025	FSLT	5	0+	SAL	13.5	27.4	1.114	3	1	0	0	0	0	0	1	0	0	1	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
51	07.02.2025	FSLT	5	0+	SAL	15.8	49.7	1.26	3	1	0	0	0	0	0	2	0	0	2	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7956	
52	07.02.2025	FSLT	5	0+	SAL	10.4	13.4	1.191	2	1	0	0	0	0	0	0	0	0	0	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8206	
53	07.02.2025	FSLT	5	0+	SAL	13.2	27.7	1.204	3	1	2	0	0	0	0	0	0	0	0	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	2	0	0	0.7806	
54	07.02.2025	FSLT	5	0+	SAL	9.8	10.3	1.094	2	1	2	0	0	0	0	0	0	0	0	1	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7206
55	07.02.2025	FSLT	5	0+	SAL	15	38.6	1.144	3	1	0	0	0	0	0	1	0	0	1	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
56	07.02.2025	FSLT	5	0+	SAL	15.7	47.7	1.233	3	1	0	0	0	0	0	0	0	0	0	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
57	07.02.2025	FSLT	5	0+	SAL	14.4	30.5	1.021	3	1	0	0	0	0	0	1	0	0	1	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8206	
58	07.02.2025	FSLT	5	0+	SAL	10.6	14.1	1.184	2	1	0	0	0	0	0	0	0	0	0	12	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8206	
59	07.02.2025	FSLT	6	0+	SAL	14.6	35.8	1.15	3	1	0	0	0	0	0	1	0	0	1	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8506	
60	07.02.2025	FSLT	6	0+	SAL	16.5	52	1.158	3	1	0	0	0	0	0	0	0	0	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05																																

112	07.02.2025	FSLT	9	0+	SAL	11	16	1.202	2	1	2	0	0	0	0	0	0	0	0	2	10	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	2	0.5	0.045	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7956	
113	07.02.2025	FSLT	9	0+	SAL	9.5	10.3	1.201	2	1	0	0	0	0	0	0	0	0	0	0	10	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	2	0.5	0.045	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8656	
114	07.02.2025	FSLT	9	0+	SAL	13.6	31.4	1.248	3	1	2	0	0	0	0	0	0	0	0	0	10	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	2	0.5	0.045	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.8256	
115	07.02.2025	FSLT	9	0+	SAL	10.6	14.6	1.226	2	1	2	0	0	0	0	0	0	0	0	0	10	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	2	0.5	0.045	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7956	
116	07.02.2025	FSLT	10	0+	SAL	10.4	11.4	1.013	2	1	0	0	0	0	0	0	0	0	1	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7906	
117	07.02.2025	FSLT	10	0+	SAL	10.4	12.8	1.138	2	1	0	0	0	1	0	0	0	0	0	1	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8206
118	07.02.2025	FSLT	10	0+	SAL	11.5	15.7	1.032	2	1	2	0	0	0	0	0	0	0	0	0	1	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7206
119	07.02.2025	FSLT	10	0+	SAL	10.5	13.8	1.192	2	1	0	0	0	0	0	0	0	0	0	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8206	
120	07.02.2025	FSLT	10	0+	SAL	10.5	14	1.209	2	1	2	0	0	0	0	0	0	0	0	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7506	
121	07.02.2025	FSLT	10	0+	SAL	10.5	12.1	1.045	2	1	0	0	0	0	0	0	0	0	1	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7906	
122	07.02.2025	FSLT	10	0+	SAL	9.6	11	1.243	2	1	0	0	0	0	0	0	0	0	0	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8206	
123	07.02.2025	FSLT	10	0+	SAL	12.5	25.2	1.29	2	1	0	0	0	0	0	0	0	0	0	1	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8206
124	07.02.2025	FSLT	10	0+	SAL	11	13.4	1.007	2	1	2	0	0	0	0	0	0	0	0	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7206	
125	07.02.2025	FSLT	10	0+	SAL	11	17.1	1.285	2	1	0	0	0	0	0	0	0	0	0	1	0	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8206
126	07.02.2025	FSLT	10	0+	SAL	9.6	9.6	1.085	2	1	2	0	0	0	0	0	0	0	0	0	1	13	90.5	10.8	7.8	0.2	23	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	2	1	0.0603	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7206
1	14.03.2025	FSLT	1	0+	SAL	16	44.5	1.086	3	1	0	0	0	0	0	0	0	0	1	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603		
2	14.03.2025	FSLT	1	0+	SAL	17.5	58.7	1.095	3	1	0	0	0	0	0	0	0	0	1	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603		
3	14.03.2025	FSLT	1	0+	SAL	12	19.7	1.14	2	1	0	0	0	0	0	0	0	0	1	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7603		
4	14.03.2025	FSLT	1	0+	SAL	10.5	10.8	0.933	1	1	2	0	0	0	0	0	0	0	1	0	1	22	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	3	0	0	1	1	0.11	2	0	0	0.6303	
5	14.03.2025	FSLT	1	0+	SAL	15.3	38.6	1.078	3	1	0	0	0	0	0	0	0	0	0	1	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603	
6	14.03.2025	FSLT	1	0+	SAL	12.5	22.2	1.137	2	1	0	0	0	0	0	0	0	0	0	1	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7603	
7	14.03.2025	FSLT	1	0+	SAL	11.8	18.5	1.126	2	1	0	0	0	0	0	0	0	0	0	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7603		
8	14.03.2025	FSLT	1	0+	SAL	10.5	11.5	0.993	2	1	0	0	0	0	0	0	0	0	0	1	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7303	
9	14.03.2025	FSLT	1	0+	SAL	9	6.3	0.864	1	1	0	0	0	0	0	0	0	0	0	1	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	3	0	0	0	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.6703	
10	14.03.2025	FSLT	1	0+	SAL	8.5	5.6	0.912	1	1	0	0	0	0	0	0	0	0	0	0	22	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	3	0	0	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.7003		
11	14.03.2025	FSLT	2	0+	SAL	14.5	38.4	1.26	3	1	0	0	0	0	0	0	0	2	0	2	0	11	96	11.3	8.4	0.2	38	1</																																								

63	14.03.2025	FSLT	5	0+	SAL	16	44.3	1,082	3	1	0	0	0	0	0	1	0	0	1	0	0	1	0	8	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	2	0.5	0.045	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.8053		
64	14.03.2025	FSLT	5	0+	SAL	10	12	1.2	1	1	0	0	0	0	0	0	2	0	0	2	0	2	0	0	8	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	2	0.5	0.045	1	1	0.08	3	0	0	2	1	0.055	1	1	0.07	0.7023	
65	14.03.2025	FSLT	6	0+	SAL	16.6	48.4	1,058	3	1	0	0	0	0	0	0	2	0	0	2	0	2	0	15	Zils	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7053	
66	14.03.2025	FSLT	6	0+	SAL	17.5	62.6	1,168	3	1	0	0	0	0	0	0	1	0	1	0	1	0	1	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7903	
67	14.03.2025	FSLT	6	0+	SAL	18.3	60.5	0,987	3	1	0	0	0	0	0	0	0	2	0	2	0	2	0	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7053	
68	14.03.2025	FSLT	6	0+	SAL	17	50.4	1,026	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603		
69	14.03.2025	FSLT	6	0+	SAL	17.5	53	0,989	3	1	0	0	0	0	0	0	0	2	0	2	0	2	0	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7053	
70	14.03.2025	FSLT	6	0+	SAL	17	49.7	1,012	3	1	0	0	0	0	0	0	1	0	1	0	1	0	1	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603	
71	14.03.2025	FSLT	6	0+	SAL	17.5	54.5	1,017	3	1	0	0	0	0	0	0	0	2	0	2	0	2	0	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7053	
72	14.03.2025	FSLT	6	0+	SAL	18.2	62.5	1,037	3	1	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603
73	14.03.2025	FSLT	6	0+	SAL	15	32.2	0.954	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603		
74	14.03.2025	FSLT	6	0+	SAL	15.8	40.6	1.029	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603		
75	14.03.2025	FSLT	6	0+	SAL	16.2	40.6	0.955	3	1	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603
76	14.03.2025	FSLT	6	0+	SAL	13.5	25.5	1.036	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7303		
77	14.03.2025	FSLT	6	0+	SAL	4.2	7.3	9.853	1	1	0	0	0	0	0	0	0	2	0	2	0	2	0	15	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	3	0	0	2	1	0.055	1	1	0.07	0.6753		
78	14.03.2025	FSLT	7	0+	SAL	16.9	51	1.057	3	1	0	0	0	0	0	0	1	0	1	0	1	0	1	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603	
79	14.03.2025	FSLT	7	0+	SAL	16	44.7	1.091	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7603		
80	14.03.2025	FSLT	7	0+	SAL	14.2	34	1.187	3	1	0	0	0	0	0	0	1	0	1	0	1	0	1	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7903	
81	14.03.2025	FSLT	7	0+	SAL	15	38	1.126	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	1	1	0.11	1	1	0.07	0.7903		
82	14.03.2025	FSLT	7	0+	SAL	12.9	22.3	1.039	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7303		
83	14.03.2025	FSLT	7	0+	SAL	10.8	15.3	1.215	2	1	0	0	0	0	0	0	1	0	1	0	1	0	1	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7603	
84	14.03.2025	FSLT	7	0+	SAL	11	14	1.052	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7303		
85	14.03.2025	FSLT	7	0+	SAL	12	17.6	1.019	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7303		
86	14.03.2025	FSLT	7	0+	SAL	17.2	53.5	1.051	3	1	0	0	0	0	0	0	2	0	2	0	2	0	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	2	0.67	0.0603	1	1	0.11	1	1	0.1	4	0	0	3	0	0	1	1	0.08	1	1	0.06	2	1	0.055	1	1	0.07	0.7053		
87	14.03.2025	FSLT	7	0+	SAL	10.1	11.3	1.097	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	32	96	11.3	8.4	0.2	38	1	Clear	0	1	2	0.5	0.03	1	1	0.05	1</																																

13	30.04.2025	FSLT	1	0+	SAL	15,2	38,7	1,102	2	1	0	1	0	0	0	0	1	0	0	1	0	0	1	0	58	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603
14	30.04.2025	FSLT	1	0+	SAL	17	36,6	0,745	3	1	0	0	0	0	0	0	3	0	0	0	3	0	58	97	11,5	8,6	0,2	38	1	Clear	0	1	3	0	0	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,06	3	0	0	1	1	0,07	0,6203			
15	30.04.2025	FSLT	1	0+	SAL	13	23,2	1,056	2	1	0	0	1	0	0	2	0	0	2	0	0	2	0	58	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	2	1	0,055	1	1	0,07	0,6753		
16	30.04.2025	FSLT	2	0+	SAL	15,3	42,4	1,184	2	1	0	0	0	0	0	0	0	0	0	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603						
17	30.04.2025	FSLT	2	0+	SAL	14,5	35	1,148	2	1	0	0	0	0	0	0	1	0	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603							
18	30.04.2025	FSLT	2	0+	SAL	13,8	33,3	1,267	2	1	0	0	0	0	0	1	0	0	1	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603						
19	30.04.2025	FSLT	2	0+	SAL	13,3	28,6	1,216	2	1	2	0	0	0	0	1	0	0	1	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	2	0	0	0	0	0	0	0,6903		
20	30.04.2025	FSLT	2	0+	SAL	16	48,5	1,184	3	1	0	0	0	0	0	0	0	0	0	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903						
21	30.04.2025	FSLT	2	0+	SAL	13,6	28,2	1,121	2	1	2	0	0	0	0	0	0	0	0	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	2	0	0	0	0	0	0,6903			
22	30.04.2025	FSLT	2	0+	SAL	14,6	28	0,9	2	1	0	0	0	0	0	0	0	0	0	15	97	11,5	8,6	0,2	38	1	Clear	0	1	3	0	0	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7003						
23	30.04.2025	FSLT	2	0+	SAL	16	47,5	1,16	3	1	0	0	0	0	0	1	0	0	1	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903						
24	30.04.2025	FSLT	2	0+	SAL	14,2	33,1	1,156	2	1	0	0	0	0	0	1	0	0	1	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603						
25	30.04.2025	FSLT	2	0+	SAL	12	19,6	1,134	2	1	0	0	0	0	0	2	0	0	2	15	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	2	1	0,055	1	1	0,07	0,7053						
26	30.04.2025	FSLT	3	0+	SAL	13,5	27,5	1,118	2	1	0	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603					
27	30.04.2025	FSLT	3	0+	SAL	13,9	30,6	1,139	2	1	0	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603					
28	30.04.2025	FSLT	3	0+	SAL	17	53,3	1,085	2	1	0	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7303					
29	30.04.2025	FSLT	3	0+	SAL	14,5	34,6	1,135	2	1	0	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603					
30	30.04.2025	FSLT	3	0+	SAL	13	23,9	1,088	2	1	0	0	0	0	0	2	0	0	2	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	2	1	0,055	1	1	0,07	0,6753					
31	30.04.2025	FSLT	3	0+	SAL	16	43,6	1,064	2	1	0	1	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7303				
32	30.04.2025	FSLT	3	0+	SAL	13,3	27	1,148	2	1	0	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603					
33	30.04.2025	FSLT	3	0+	SAL	13	25,5	1,161	2	1	0	0	0	0	0	2	0	0	2	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,03	2	1	0,055	1	1	0,07	0,7053					
34	30.04.2025	FSLT	3	0+	SAL	11,5	16,8	1,105	1	1	0	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7303					
35	30.04.2025	FSLT	3	0+	SAL	9,1	10,8	1,433	1	1	0	0	1	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7303					
36	30.04.2025	FSLT	3	0+	SAL	9	7,5	1,029	1	1	0	0	0	0	0	1	0	0	1	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,7003					
37	30.04.2025	FSLT	4	0+	SAL	20	79	0,988	3	1	0	0	0	0	0	0	0	0	0	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7603					
38	30.04.2025	FSLT	4	0+	SAL	21,5	108	1,087	3	1	0	0	0	0	0	2	0	0	2	0	25	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603																														

91	30.04.2025	FSLT	8	0+	SAL	11,5	19,1	1,256	2	1	0	0	0	0	0	1	0	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603			
92	30.04.2025	FSLT	8	0+	SAL	14	32,7	1,192	3	1	0	0	0	0	0	2	0	0	2	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,07	0,7353	
93	30.04.2025	FSLT	8	0+	SAL	10,5	13,6	1,175	2	1	0	0	0	0	0	1	0	0	1	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603	
94	30.04.2025	FSLT	8	0+	SAL	12,2	23,4	1,289	2	1	0	0	0	0	0	1	0	0	1	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603	
95	30.04.2025	FSLT	8	0+	SAL	12,5	22,6	1,157	3	1	0	0	0	0	0	1	0	0	1	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903	
96	30.04.2025	FSLT	8	0+	SAL	12,5	24,5	1,254	2	1	0	0	0	0	0	2	0	0	2	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7053	
97	30.04.2025	FSLT	8	0+	SAL	11,8	19,2	1,169	2	1	0	0	0	0	0	1	0	0	1	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603	
98	30.04.2025	FSLT	8	0+	SAL	15,5	42,3	1,136	3	1	0	0	0	0	0	2	0	0	2	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,07	0,7353	
99	30.04.2025	FSLT	8	0+	SAL	9,3	10	1,243	2	1	0	0	0	0	0	1	0	0	1	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603	
100	30.04.2025	FSLT	8	0+	SAL	10,2	12,4	1,168	2	1	2	0	0	0	0	1	0	0	1	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	2	0	0	0,6903	0,7603
101	30.04.2025	FSLT	8	0+	SAL	13,8	31,2	1,187	3	1	0	0	0	0	0	0	0	0	0	39	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903	
102	30.04.2025	FSLT	9	0+	SAL	14	32,2	1,173	3	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903	
103	30.04.2025	FSLT	9	0+	SAL	14,9	35,3	1,067	3	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7603	
104	30.04.2025	FSLT	9	0+	SAL	17,2	51,4	1,01	3	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7603	
105	30.04.2025	FSLT	9	0+	SAL	15,2	37,2	1,059	3	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7603	
106	30.04.2025	FSLT	9	0+	SAL	19	71,3	1,04	3	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7603	
107	30.04.2025	FSLT	9	0+	SAL	18	60,8	1,043	3	1	0	0	0	0	0	0	2	0	0	2	55	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,07	0,7053
108	30.04.2025	FSLT	9	0+	SAL	15	41	1,215	2	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603	
109	30.04.2025	FSLT	9	0+	SAL	16	45,1	1,101	3	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903	
110	30.04.2025	FSLT	9	0+	SAL	19	76	1,108	3	1	0	0	0	0	0	0	1	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903	
111	30.04.2025	FSLT	9	0+	SAL	18	67	1,149	3	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7903	
112	30.04.2025	FSLT	9	0+	SAL	17	56,9	1,158	3	1	0	0	0	0	0	2	0	0	2	55	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,07	0,7353	
113	30.04.2025	FSLT	9	0+	SAL	13	25,7	1,17	2	1	0	0	0	0	0	0	0	0	0	55	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603	
114	30.04.2025	FSLT	10	0+	SAL	14,6	36,9	1,186	2	1	0	0	0	0	0	2	0	0	2	80	97	11,5	8,6	0,2	38	1	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7603	
115	30.04.2025	FSLT	10	0+	SAL	16,8	45,7	0,964	3	1	0	0	0	0	0	0	0	0	0	80	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11	1	1	0,1	4	0	0	3	0	0	0	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,7603	
116	30.04.2025	FSLT	10	0+	SAL	17,5	55,9	1,043	3	1	0	0	0	0	0	0	0	0	0	80	97	11,5	8,6	0,2	38	1	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	2	0,67	0,0603	1	1	0,11																								

43	28.11.2024	P/BIOR	4	1+	SAL	16,1	62,87	1.506	3	1	0	0	0	0	0	1	0	0	1	0	0	1	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,8497				
44	28.11.2024	P/BIOR	4	1+	SAL	13,2	41,49	1.804	2	1	0	0	0	0	0	1	0	0	1	0	0	1	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
45	28.11.2024	P/BIOR	4	1+	SAL	12	19,7	1.14	2	1	0	0	3	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	3	0	0	1	1	0,07	0,7097				
46	28.11.2024	P/BIOR	4	1+	SAL	15,6	64,75	1.706	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
47	28.11.2024	P/BIOR	4	1+	SAL	12,6	26,44	1.322	2	1	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197			
48	28.11.2024	P/BIOR	4	1+	SAL	19	73,14	1.066	3	1	0	3	0	0	0	1	0	0	3	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	3	0	0	1	1	0,07	0,7097				
49	28.11.2024	P/BIOR	4	1+	SAL	15,3	43,1	1.203	2	1	2	0	0	0	0	1	0	0	1	0	0	1	0	0	1	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	2	0	0	1	1	0,07	0,7497
50	28.11.2024	P/BIOR	4	1+	SAL	16,2	49,7	1.169	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,8497				
51	28.11.2024	P/BIOR	4	1+	SAL	18,3	70,68	1.153	3	1	0	0	3	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	3	0	0	1	1	0,07	0,7397				
52	28.11.2024	P/BIOR	4	1+	SAL	15,9	48,75	1.213	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
53	28.11.2024	P/BIOR	4	1+	SAL	18,1	58,65	0.989	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,8197				
54	28.11.2024	P/BIOR	4	1+	SAL	18,5	68,57	1.083	2	1	2	0	0	0	0	1	0	0	1	1	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	2	0	0	1	1	0,07	0,7197	
55	28.11.2024	P/BIOR	4	1+	SAL	15	37,45	1.11	2	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
56	28.11.2024	P/BIOR	4	1+	SAL	16	40,95	1	2	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7897				
57	28.11.2024	P/BIOR	4	1+	SAL	16,8	51,7	1.09	2	1	0	0	0	0	0	2	0	0	2	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	2	1	0,055	1	1	0,07	0,7347				
58	28.11.2024	P/BIOR	4	1+	SAL	17,5	62,65	1.169	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,8497				
59	28.11.2024	P/BIOR	4	1+	SAL	15,5	45,88	1.232	2	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
61	28.11.2024	P/BIOR	4	1+	SAL	15	41,6	1.233	2	1	0	0	0	0	0	1	0	0	1	3	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
62	28.11.2024	P/BIOR	4	1+	SAL	16,9	57,05	1.182	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,8497				
63	28.11.2024	P/BIOR	4	1+	SAL	17,5	61,01	1.138	2	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
64	28.11.2024	P/BIOR	4	1+	SAL	15	39,63	1.174	2	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,8197				
65	28.11.2024	P/BIOR	4	1+	SAL	17,6	63,95	1.173	3	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	1	1	0,06	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	1	1	0,06	1	1	0,11	1	1	0,07	0,8497				
66	28.11.2024	P/BIOR	4	1+	SAL	15	37,07	1.098	2	1	0	0	0	1	0	0	1	0	0	1	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7897				
67	28.11.2024	P/BIOR	4	1+	SAL	16,5	46,04	1.025	2	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6	7,6	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	3	0,33	0,0297	1	1	0,11	1	1	0,1	4	0	0	1	1	0,09	1	1	0,08	2	1	0,03	1	1	0,11	1	1	0,07	0,7897				
68	28.11.2024	P/BIOR	4	1+	SAL	17,1	55,55	1.111	2	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	96	6</																																																

47	05.02.2025	P\BIOR	13	1+	SAL	15.8	35.4	0.897	2	1	0	0	0	0	0	1	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	3	0	0	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7597			
48	05.02.2025	P\BIOR	13	1+	SAL	13.7	27.9	1.085	2	1	0	0	0	0	0	0	0	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
49	05.02.2025	P\BIOR	13	1+	SAL	15.6	41.3	1.088	2	1	0	0	0	0	0	0	2	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7347		
49	05.02.2025	P\BIOR	13	1+	SAL	14.9	32.4	0.979	2	1	0	0	0	0	0	0	0	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
50	05.02.2025	P\BIOR	13	1+	SAL	14.4	30.5	1.021	2	1	0	0	0	0	0	0	1	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
51	05.02.2025	P\BIOR	13	1+	SAL	14.6	30.2	0.97	2	1	2	0	0	0	0	0	1	1	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0	0.7197		
52	05.02.2025	P\BIOR	13	1+	SAL	13.7	36	1.4	2	1	2	0	0	0	0	2	0	2	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0	0.6947		
53	05.02.2025	P\BIOR	13	1+	SAL	14.7	34.2	1.077	2	1	0	0	0	0	0	1	0	1	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
54	05.02.2025	P\BIOR	13	1+	SAL	15.4	36.5	0.999	2	1	0	0	0	0	2	0	1	0	2	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7347	
55	05.02.2025	P\BIOR	13	1+	SAL	13.7	26.3	1.023	2	1	0	0	0	0	0	1	0	1	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
56	05.02.2025	P\BIOR	13	1+	SAL	14.6	32.8	1.054	2	1	0	0	0	0	2	0	2	0	2	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7347	
57	05.02.2025	P\BIOR	13	1+	SAL	13.6	28.5	1.133	2	1	0	0	0	0	0	0	0	0	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.8197	
58	05.02.2025	P\BIOR	13	1+	SAL	14	29	1.057	2	1	0	0	0	0	0	1	0	1	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
59	05.02.2025	P\BIOR	13	1+	SAL	16	39.5	0.964	2	1	0	0	0	0	0	1	0	1	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
60	05.02.2025	P\BIOR	13	1+	SAL	14.2	30	1.048	2	1	0	0	0	0	0	1	0	1	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
61	05.02.2025	P\BIOR	13	1+	SAL	15.2	35.4	1.008	2	1	0	0	0	0	0	1	0	1	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
62	05.02.2025	P\BIOR	13	1+	SAL	15.5	38	1.02	2	1	0	0	0	0	0	0	0	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
63	05.02.2025	P\BIOR	13	1+	SAL	12.6	21.3	1.065	1	1	0	0	0	0	0	0	0	0	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	3	0	0	1	1	0.11	1	1	0.07	0.7597	
64	05.02.2025	P\BIOR	13	1+	SAL	15.1	35.9	1.043	2	1	0	0	0	0	0	0	0	0	0	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897	
65	05.02.2025	P\BIOR	13	1+	SAL	14	28.3	1.031	1	1	0	0	0	0	2	0	2	0	2	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	3	0	0	2	1	0.055	1	1	0.07	0.7047	
66	05.02.2025	P\BIOR	13	1+	SAL	16.7	49.6	1.065	2	1	0	0	0	0	0	3	0	3	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	3	0	0	1	1	0.07	0.6797		
67	05.02.2025	P\BIOR	13	1+	SAL	15.7	41.5	1.072	2	1	0	0	0	0	0	2	0	2	0	2	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	2	1	0.055	1	1	0.07	0.7347
68	05.02.2025	P\BIOR	13	1+	SAL	15.5	44.2	1.187	2	1	0	0	0	0	0	2	0	2	0	2	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	2	1	0.055	1	1	0.07	0.7647
69	05.02.2025	P\BIOR	13	1+	SAL	13.1	26.2	1.042	2	1	2	0	0	0	0	1	0	1	1	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	2	0	0	0.7197		
70	05.02.2025	P\BIOR	13	1+	SAL	14.1	32.1	1.145	1	1	0	0	0	0	0	1	0	1	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	1	1	0.06	1	1	0.05	1	1	0.09	3	0.33	0.0297	1	1	0.11	1	1	0.1	4	0	0	1	1	0.09	1	1	0.08	2	1	0.03	1	1	0.11	1	1	0.07	0.7897		
71	05.02.2025	P\BIOR	13	1+	SAL	15.2	37.2	1.059	2	1	0	0	0	0	0	2	0	2	0	2	0	1	95	3	7.6	0.2	61.8	1.67	Clear	0	1	2	0.5	0.03	1	1	0.05																															

23	25.04.25	P/BIOR	7	1+	Sal	15,1	39	1.133	3	1	0	1	0	0	0	1	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,82			
24	25.04.25	P/BIOR	7	1+	Sal	16,2	47	1.105	3	1	0	2	0	0	0	0	2	0	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,765		
25	25.04.25	P/BIOR	7	1+	Sal	14,1	50	1.784	2	1	0	1	0	0	0	0	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,79			
26	25.04.25	P/BIOR	7	1+	Sal	15,6	43	1.133	3	1	0	0	0	0	0	0	2	0	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,765		
27	25.04.25	P/BIOR	7	1+	Sal	15,1	37	1.075	3	1	0	0	0	0	0	0	0	0	0	0	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,79
28	25.04.25	P/BIOR	7	1+	Sal	14,2	30	1.048	3	1	0	1	1	0	0	0	1	0	1	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,79		
29	25.04.25	P/BIOR	7	1+	Sal	16,5	46	1.024	3	1	0	0	0	0	0	0	2	0	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,735
30	25.04.25	P/BIOR	7	1+	Sal	13,5	32	1.301	3	1	0	1	1	0	0	0	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,82			
31	25.04.25	P/BIOR	7	1+	Sal	13,7	30	1.167	3	1	0	1	0	1	0	0	0	2	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,765		
32	25.04.25	P/BIOR	7	1+	Sal	14	29	1.057	3	1	0	1	1	0	0	0	2	0	2	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,735		
33	25.04.25	P/BIOR	7	1+	Sal	15,5	38	1.02	3	1	0	0	0	0	0	0	0	0	0	0	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,79			
34	25.04.25	P/BIOR	7	1+	Sal	16	44	1.074	3	1	0	0	1	0	0	0	0	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,79			
35	25.04.25	P/BIOR	7	1+	Sal	15	36	1.067	3	1	0	1	0	0	0	0	0	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,735			
36	25.04.25	P/BIOR	7	1+	Sal	8,5	6	0.977	1	1	0	0	0	0	0	0	0	0	0	0	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	3	0	0	1	1	0,08	3	0	0	1	1	0,11	1	1	0,07	0,73
37	25.04.25	P/BIOR	7	1+	Sal	15,1	36	1.046	3	1	0	1	0	0	0	0	2	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,735				
38	25.04.25	P/BIOR	7	1+	Sal	11,5	18	1.184	2	1	0	3	3	0	0	0	1	0	3	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,06	3	0	0	1	1	0,07	0,68						
39	25.04.25	P/BIOR	7	1+	Sal	15	37	1.096	3	1	0	0	0	0	0	0	0	0	0	0	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,79			
40	25.04.25	P/BIOR	7	1+	Sal	14	29	1.057	2	1	0	2	2	0	0	0	2	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,705				
41	25.04.25	P/BIOR	7	1+	Sal	14,8	33	1.018	3	1	0	2	2	0	0	1	0	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,735				
42	25.04.25	P/BIOR	7	1+	Sal	16	44	1.074	3	1	0	1	1	0	0	3	0	3	0	3	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	3	0	0	0	1	1	0,07	0,68					
43	25.04.25	P/BIOR	7	1+	Sal	13,6	27	1.073	2	1	0	1	2	0	0	0	2	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	2	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,705				
44	25.04.25	P/BIOR	7	1+	Sal	15,8	41	1.039	3	1	0	2	1	0	0	0	2	0	2	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	2	1	0,055	1	1	0,11	1	1	0,07	0,735				
45	25.04.25	P/BIOR	7	1+	Sal	13,8	29	1.103	3	1	0	1	1	0	0	0	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	1	1	1	0,06	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,82			
46	25.04.25	P/BIOR	7	1+	Sal	15,5	39	1.047	3	1	0	1	1	0	0	0	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1	0,09	1	1	0,11	1	1	0,1	4	0	0	3	0	0	1	1	0,08	1	1	0,06	1	1	0,055	1	1	0,11	1	1	0,07	0,79				
47	25.04.25	P/BIOR	7	1+	Sal	15	36	1.067	3	1	0	0	1	0	0	0	0	0	0	1	0	27	93	8	7,4	0,2	61,8	1,67	Clear	0	1	2	0,5	0,03	1	1	0,05	1	1	0,09	1	1																																

[illegible]